


***LAND-
SCAPE
68***

How to Install



Component


Body(with Integrated Switch), Instruction, Warranty Card
Microfiber Cleaner, Gloves
바디(스위치 내장), Classic 전구, 조립설명서, 보증서, 극세사 크리너, 장갑

Light Source (Included) : ILKW CLASSIC SERIES
(2100K / E14 + E26)
Rating : AC 220V
Size : 680 x 175 x 70mm
Weight : 4.18kg
Material : Aluminum + Steel
Cable : 2.2m (Body to Plug)

Bulb

Classic G80 40w (2100K / E26)
Classic T32-S 40w (2100K / E26)
Classic T45-T 40w (2100K / E26)
Classic BT118 100w (2100K / E26)
Classic T25-S 25w (2100K / E14)
Classic G125-T 60w (2100K / E26)
Classic ST64 40w (2100K / E26)
Classic ST45-T 40w (2100K / E14)

Control



Assembly

When assembling and moving the bulbs, always turn off the power and wear gloves. It is recommended to set the bulbs in the order above.
전구 결합 및 이동 시 반드시 전원을 차단하고 장갑을 착용해 주세요. 전구는 위 배치 순서에 맞게 세팅하는 것을 추천합니다.

Power and Dimming Button(ROTATE)

After assembling the bulbs, plug the power cord and turn the Dimmer Switch clockwise to light up the bulbs and adjust the brightness.
전구 결합 후 전원 플러그를 콘센트에 꽂고 Dimmer Switch를 시계방향으로 돌리면 전구가 점등되고, 밝기를 조정할 수 있습니다.

Safety Precautions & Contact

Aluminum Version, has finely processed pattern and the surface will naturally discolor over time as a characteristic of handmade product. Any uneven marks or discoloration after use are natural results of the processing of the material and are not defects. Please note that handling with bare hands can leave marks from your fingers. Always wear the provided gloves when installing and handling the product.

Aluminum Version의 경우 소재 자체에 미세 패턴이 가공한 상태로 시간의 경과에 따라 자연스럽게 표면 변색이 진행되는 수작업 제품입니다. 표면의 균일하지 않은 자국이나 사용 후 변색은 가공의 자연스런 현상으로 불량이 아닙니다. 맨손으로 만지면 손의 유분 자국이 남을 수 있으니, 전구 설치 및 제품 취급시에는 반드시 함께 제공어드린 장갑을 착용 후 취급 바랍니다.

If you have any questions about the product, please contact the seller. Otherwise, you can contact the manufacturer Ilkwang Lighting by e-mail.



ILKW BY
ILKWANG LIGHTING

HQ & Factory

Ilkwang Co., Ltd, 7, Seongseogongdanbuk-ro
3-gil, Dalseo-gu, Daegu, South Korea(#42710)
T. + 82 53 581 1076
F. + 82 53 581 6122
I. Insta@ilkwdesign
E. info@ilkwdesign.com

Seoul Office

Ilkwang Co., Ltd, 2F, 31-1, Sowol-ro,
Jung-gu, Seoul, South Korea(#04635)

Seoul Showroom

Ilkwang Co., Ltd, 2-1, Toegye-ro 4-gil,
Jung-gu, Seoul, South Korea(#04635)
T. + 82 2 318 1079

www.ilkwdesign.com